

Supplied By:



4801 W. Vernal Pike  
Bloomington, IN 47404  
1-800-734-4133

# Material Safety Data Sheet

**EMERGENCY PHONE:**  
**1-800-535-5053**

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## Section 1: Product Identification

**Product Name:** STAINLESS STEEL EZ WIPES  
**Product Number:** K725  
**Product Use:** Cleaner for stainless steel, formica and wood  
**DOT Hazard Class:** Non-hazardous

1 Health	<b>Hazard Rating</b>	<b>H.M.I.S</b>
2 Fire	4=Extreme	<b>Abbreviation Key:</b> N.A.-Not Applicable N.E.-Not Established N.D.-Not Determined
0 Reactivity	3=High	
B Maximum Personal Production	2=Moderate	
	1=Slight	
	0=Insignificant	

A= Goggles B=Goggles & Gloves C=Goggles, Gloves & Apron

## Section 2: Hazardous Ingredient Information

### Hazard Chemical Identity

	<b>CAS No.</b>	<b>%</b>	<b>PEL</b>	<b>TLV</b>
1,8-P Menthadiene	5989-27-5	-	N.E.	N.E.
Ethyl Lactate	97-64-3	-	N.E.	N.E.

## Section 3: Physical Data

**Color:** White **Odor:** Citrus **Physical State:** Cloth  
**Boiling Point:** NA  
**Freezing Point:** 0 C (32 F)  
**Solubility in Water:** 0  
**Vapor Pressure:** NA  
**Vapor Density:** NA  
**Evaporation Rate (Water=1):** <1  
**Specific Gravity:** 0.85 gm/ml

## Section 4: Fire and Explosion Hazard Data

**Flash Point and Method:** 127°F  
**Autoignition Temperature:** N.A.  
**Extinguishing Media:** Use dry chemical fire extinguisher  
**Flammable Limits:** NA **LEL:** NA. **UEL:** NA  
**Special Fire Fighting Procedures:** Evacuate area of unprotected persons. Wear SCBA to avoid vapors. Use water spray to cool exposed containers.  
**Unusual Fire and Explosion Hazards:** COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES.

## Section 5: Reactivity Data

**Stability:** Stable  
**Hazardous Decomposition:** Oxides of Carbon  
**Incompatibility (Materials to Avoid):** Strong Oxidizers and sources of ignition.  
**Hazardous Polymerization:** Will not occur  
**Conditions to Avoid:** None Known

The above information is believed to be accurate with respect to the formula used to manufacture this product. As data, standards and regulations change and conditions of use and handling are beyond our control. **NO WARRANTY** expressed or implied is made as to the completeness of continuing of this information.

## Section 6: Hazardous Identification

**Routes of Entry:** Inhalation, skin, ingestion  
**Toxicologically Synergistic Products:** None Known  
**Sensitization:** No.  
**Medical conditions aggravated by Exposure:** None Known

**Effects of Overexposure (Acute and/or Chronic):**  
**Eyes:** May cause irritation.  
**Skin:** May cause irritation.  
**Ingestion:** May cause nausea, diarrhea.  
**Inhalation:** Excessive exposure can cause dizziness.

**Carcinogenic Effects:** NO carcinogenic effect  
**Mutagenic Effects:** NO mutagenic effect  
**Teratogenic Effects:** NO teratogenic effect  
**Reproductive Toxicity:** NO reproductive toxicity effect

## Section 7: Preventative and Control Measures

**Respiratory Protection:** NOISH approved respirator if needed.  
**Ventilation:** Local Exhaust is sufficient.  
**Protective Gloves:** Yes, chemical resistant if needed to protect sensitive skin.  
**Eye Protection:** Safety glasses are recommended whenever chemicals are used.  
**Protective Clothing and Equipment:** Avoid prolonged contact with skin.  
**Work and Hygienic Practices:** Wash thoroughly after handling.  
**Storage Requirements:** Keep away from heat, spark, flame, and sources of ignition.  
**Other Requirements:** Keep out of reach of children.

**Steps to be taken if material is spilled or released:**  
Remove any source of heat, flame or sparks. Evacuate affected area. Mop up with appropriate absorbent material. Avoid breathing fumes. Ventilate area.  
**Waste Disposal:** Dispose of residue as permitted by all federal, provincial, state and local regulatory authorities.

## Section 8: Emergency First Aid Procedures

**First Aid-Notes to Physician:**  
**Eyes:** Flush with a large amount of water for 15 minutes holding eyelids open.  
**Skin:** Rinse with mild soap and water.  
**Ingestion:** Give a small glass of water. Do not induce vomiting. If symptoms persist, seek medical attention.  
**Inhalation:** Remove victim to fresh air.  
**Note to Physician:** No additional information.

## Section 9: Storage and Handling Precautions

**Handling & Storage:** Do not store where temperatures exceed 120 degrees Fahrenheit.  
**Keep out of reach of children.**  
Wash hands before eating or smoking after using aerosol

## Section 10: Preparation Information

**Prepared By:** Regulatory Affairs Department  
**Phone:** 812-336-4817  
**Date of Preparation:** July, 2004

# Stainless Steel EZ Wipes

## Technical Data Sheet

**Pre-Moistened  
Towels**

**Cleans and  
Protects  
Surfaces**

**Easy To  
Use**

---

---

### Product Description

**EZ Wipes Stainless Steel Polish & Cleaner** contains pre-moistened towels formulated with citrus to clean quickly. Removes hard water deposits, grease, food residue, and fingerprint smudges. Also brightens, polishes and protects surfaces with a clear coating. 200% stronger than other towels.

---

---

### Use Directions

Remove one pre-moistened towel from bottle. Scrub surfaces with abrasive side of towel until stains and deposits disappear. Use the smooth side to wipe the surfaces clean. Discard used towel. For a super shine, buff lightly with a soft towel after application.

---

---

### Areas of Use

Stainless Steel, Wood, Chrome, Formica, Porcelain, Ceramic and other Laminated Plastic Surfaces

---

---

### Safety Precautions

Caution! Combustible. Store away from heat or open flame. May cause irritation to eyes. Prolonged use may cause mild irritation to skin. Read label and MSDS for complete list of hazards and safety precautions. Keep this product and all chemicals out of the reach of children.

---

---

### Shipping Classification

None Required

---

---

### Packaging

6 / 40 wipes per case

---

---

### Properties

<b>FORM:</b>	Cloth
<b>FRAGRANCE:</b>	Citrus
<b>FLASH POINT:</b>	127 F
<b>FREEZING POINT:</b>	32 F